

**IEP Bibliography**  
(updated July 2006)

The following papers were funded by IEP. Funding includes research, fieldwork, co-authors, or edited volumes. Please contact Ted Sommer ([tsommer@water.ca.gov](mailto:tsommer@water.ca.gov)) for additions to this webpage.

Aasen, G. A., D.A. Sweetnam, and L.M. Lynch. 1998. Establishment of wakasagi, *Hypomesus nipponensis*, in the Sacramento-San Joaquin Estuary. *California Fish and Game* 84:31-35.

Aasen, G. A. 1999. Juvenile delta smelt use of shallow-water and channel habitats in California's Sacramento-San Joaquin Estuary. *California Fish and Game* 85 (4):161-169.

Alabaster, J. S. 1989. The dissolved oxygen and temperature requirements of king salmon *Oncorhynchus tshawytscha* in the San Joaquin Delta, California, USA. *Journal of Fish Biology* 34 (2):331-332.

Albrecht, A. B. 1964. Some observations on factors associated with survival of striped bass eggs and larvae. *California Fish and Game* 50:100-113.

Alexander, R. R., R.J. Stanton, and R.J. Dodd. 1993. Influence of sediment grain size on the burrowing of bivalves: Correlation with distribution and stratigraphic persistence of selected Neogene clams. *Palaaios* 8 (3):289-303.

Alpert, P., F.T. Griggs, and D.R. Peterson. 1999. Riparian forest restoration along large rivers: Initial results from the Sacramento River Project. *Restoration Ecology* 7 (4):360-368.

Alpine, A. E., and J. E. Cloern. 1985. Differences in in-vivo fluorescence yield between three phytoplankton size classes. *Journal of Plankton Research* 7 (3):381-390.

Alpine, A. E., and J.E. Cloern. 1988. Phytoplankton growth rates in a light-limited environment, San Francisco Bay. *Marine Ecology Progress Series* 44:167-173.

Alpine, A. E., and J. E. Cloern. 1992. Trophic interactions and direct physical effects control phytoplankton biomass and production in an estuary. *Limnology and Oceanography* 37 (5):946-955.

Ambler, J. W., J.E. Cloern, and A. Hutchinson. 1985. Seasonal cycles of zooplankton from San Francisco Bay. *Hydrobiologia* 129:177-197.

Arkush, K. D., and P.A. Siri. 2001. Exploring the role of captive broodstock programs in salmon restoration. Pages 319-330 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Armor, C., and P.L. Herrgesell. 1985. Distribution and abundance of fishes in the San Francisco Bay Estuary between 1980 and 1982. *Hydrobiologia* 129:211-227.

Arnold, J. D., and H.S. Yue. 1997. Prevalence, relative abundance, and mean intensity of plerocercoids of *Proteocephalus* sp. in young striped bass in the Sacramento-San Joaquin Estuary. *California Fish and Game* 83 (3):105-117.

Arthur, J. F., and M. Ball. 1979. Factors influencing the entrapment of suspended material in the San Francisco Bay-Delta Estuary. Pages 143-174 in T. Conomos, editor. San Francisco Bay: the urbanized estuary. Pacific Division American Association for the Advancement of Science, San Francisco, CA.

Arthur, J. F., M.D. Ball, and S.Y. Baughman. 1996. Summary of federal and state water project environmental impacts in the San Francisco Bay-Delta Estuary, California. Pages 445-495 in J. T. Hollibaugh, editor. San Francisco Bay: the ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Bailey, H. C., C. Alexander, C. DiGiorgio, M. Miller, S. Doroshov and D. Hinton. 1994. The effect of agricultural discharge on striped bass in California's Sacramento-San Joaquin drainage. *Ecotoxicology* 3:123-142.

Baker, P. F., and J.E. Morhardt. 2001. Survival of chinook salmon smolts in the Sacramento-San Joaquin Delta and Pacific Ocean. Pages 163-182 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Baker, P. T., T.P. Speed, and F.K. Ligon. 1995. Estimating the influence of temperature on the survival of chinook salmon smolts (*Oncorhynchus tshawytscha*) migrating through the Sacramento-San Joaquin River Delta of California. *Canadian Journal of Fisheries and Aquatic Sciences* 52:855-863.

Ball, M. D., and J.F. Arthur. 1979. Planktonic chlorophyll dynamics in the northern San Francisco Bay and Delta. Pages 265-286 in T. J. Conomos, editor. San Francisco Bay: the urbanized estuary. American Association for the Advancement of Science, Pacific Division, San Francisco, CA.

Ball, M. D., and J.F. Arthur. 1981. Phytoplankton settling rates, a major factor determining estuarine dominance. *Estuaries* 4:246.

Baltz, D. M., P.B. Moyle, and N.J. Knight. 1982. Competitive interactions between benthic stream fishes, riffle sculpin, *Cottus gulosus*, and speckled dace, *Rhinichthys osculus*. *Canadian Journal of Fisheries and Aquatic Sciences* 39:1502-1511.

Baltz, D. M., and P.B. Moyle. 1993. Invasion resistance to introduced species by a native assemblage of California stream fishes. *Ecological Applications: a publication of the Ecological Society of America* 3:246-55.

Banks, M. A., B.A. Baldwin, and D. Hedgecock. 1996. Research on chinook salmon (*Oncorhynchus tshawytscha*) stock structure using microsatellite DNA. *Bulletin of National Research Institute of Aquaculture Supplement* 2:5-9.

Banks, M. A., M.S. Blouin, B.A. Baldwin, V.K. Rashbrook, H.A. Fitzgerald, S.M. Blankenship, and D. Hedgecock. 1999. Isolation and inheritance of novel microsatellites in chinook salmon (*Oncorhynchus tshawytscha*). *The Journal of Heredity* 90:281-288.

Banks, M. A., V.K. Rashbrook, M.J. Calavetta, C.A. Dean, and D. Hedgecock. 2000. Analysis of microsatellite DNA resolves genetic structure and diversity of chinook salmon (*Oncorhynchus tshawytscha*) in California's Central Valley. *Canadian Journal of Fisheries and Aquatic Sciences* 57:915-927.

Banks, M. A., and W. Eichert. 2000. WHICHRUN (Version 3.2): a computer program for population assignment of individuals based on multilocus genotype data. *Journal of Heredity* 91:87-89.

Barnum, D. A., and N.H. Euliss Jr. 1991. Impacts of changing irrigation practices on waterfowl habitat use in the southern San Joaquin Valley, California, USA. *California Fish and Game* 77 (1):10-21.

Batzer, D. P., M. McGee, V.H. Resh, and R.R. Smith. 1993. Characteristics of invertebrates consumed by mallards and prey response to wetland flooding schedules. *Wetlands* 13 (1):41-49.

Batzer, D. P., F. De Szalay, and V.H. Resh. 1997. Opportunistic response of a benthic midge (Diptera: Chironomidae) to management of California seasonal wetlands. *Environmental Entomology* 26 (2):215-222.

Baxter, R. 1999. Status of Sacramento splittail in California. *California Fish and Game* 85:28-30.

Bennett, W. A., D.A. Ostrach, and D.E. Hinton. 1995. Larval striped bass condition in a drought-stricken estuary: evaluating pelagic food-web limitation. *Ecological Applications* 5 (3):680-692.

Bennett, W. A., and P. B. Moyle. 1996. Where have all the fishes gone? Interactive factors producing fish declines in the Sacramento San Joaquin Estuary. Pages 519-542 in J. T. Hollibaugh, editor. *San Francisco Bay: the ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Bennett, W. A., W.J. Kimmerer, and J.R. Burau. 2002. Plasticity in vertical migration by native and exotic estuarine fishes in a dynamic low-salinity zone. *Limnology and Oceanography* 47 (5):1496-1507.

Black, M. 1994. Recounting a century of failed fishery policy toward California's Sacramento River salmon and steelhead. *Conservation Biology: the journal of the Society for Conservation Biology* 8 (3):892-894.

Black, M. 1995. Tragic remedies: A century of failed fishery policy on California's Sacramento River. *Pacific Historical Review* LXIV 1:37-70.

Black, M. 2001. Shasta salmon salvage efforts: Coleman National Fish Hatchery on Battle Creek, 1895-1992. Pages 177-268 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Blankenship, S. M., D. Hedgecock, and B. P. May. 2002. Evolution of a perfect simple-sequence-repeat locus in the context of its flanking sequence. *Molecular Biology and Evolution* 19:1943-1951.

Botsford, L. W., and J.G. Brittnacher. 1998. Viability of Sacramento River winter-run chinook salmon. *Conservation Biology: the journal of the Society for Conservation Biology* 12:65-79.

Bowman, T. E., and J.J. Orsi. 1992. *Deltamysis-holmquistae* new-genus new-species of Mysidacea from the Sacramento-San Joaquin Estuary of California (Mysidae Mysinea heteromysini). *Proceedings of the Biological Society of Washington* 105 (4):733-742.

Boydston, L. B. 1994. Analysis of two mark-recapture methods to estimate the fall chinook salmon, *Oncorhynchus tshawytscha*, run into Bogus Creek, upper Klamath River, California. *California Fish and Game* 80:1-3.

Boydston, L. B. 2001. Ocean Salmon Fishery Management. Pages 183-196 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Brandes, P. L., and J.S. McLain. 2001. Juvenile chinook salmon abundance, distribution, and survival in the Sacramento-San Joaquin Estuary. Pages 39-138 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Brennan, M. L., D.H. Schoellhamer, J.R. Burau, and S.G. Monismith. 2002. Tidal asymmetry and variability of bed shear stress and sediment bed flux at a site in San Francisco Bay, USA. Pages 93-108 in J. C. Winterwerp, and C. Kranenburg, editors. Fine Sediment Dynamics in the Marine Environment. Proceedings in Marine Science, Vol. 5. Elsevier Science B.V.

Brown, C. L., and S.N. Luoma. 1995. Use of euryhaline bivalve *Potamocorbula amurensis* as a biosentinal species to assess trace metal contamination in San Francisco Bay. Marine Ecology Progress Series 124:129-142.

Brown, L. R., P.B. Moyle, W.A. Bennett, and B.D. Queltvog. 1992. Implications of morphological variation among populations of California roach *Lavinia symmetricus* (Cyprinidae) for conservation policy. Biological Conservation 62 (1):1-10.

Brown, L. R., and P.B. Moyle. 1993. Distribution, ecology, and status of the fishes of the San Joaquin River drainage, California. California Fish and Game 79 (3):96-114.

Brown, L. R. 1996. Aquatic biology of the San Joaquin-Tulare Basins, California: Analysis of available data through 1992. U.S. Geological Survey Water-Supply Paper No. 2471. U.S. Government Printing Office, Washington D.C.

Brown, L. R. 1997. Concentrations of chlorinated organic compounds in biota and bed sediment in streams of the San Joaquin Valley, California. Archives of Environmental Contamination and Toxicology 33 (4):357-368.

Brown, L. R., and P.B. Moyle. 1997. Invading species in the Eel River, California: Successes, failures, and relationships with resident species. Environmental Biology of Fishes 49:271-91.

Brown, L. R., and J.T. May. 2000. Macroinvertebrate assemblages on woody debris and their relations with environmental variables in the lower Sacramento and San Joaquin River drainages, California. Environmental Monitoring and Assessment 64 (1):311-329.

Brown, L. R. 2000. Fish communities and their associations with environmental variables, lower San Joaquin River drainage, California. Environmental Biology of Fishes 57 (3):251-269.

Brown, R., S. Greene, P. Coulston, and S. Barrow. 1996. An evaluation of the effectiveness of fish salvage operations at the intake of the California Aqueduct, 1979-1993. Pages 497-518 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Bumgardner, J., C. Malone, L.F. Walker, and R.F. Shanks. 1993. Use of Monte Carlo techniques to assess POTW compliance with EPA water quality criteria for heavy metals. Water Environment Research 65 (5):674-678.

Burns, J. W. 1975. The upper Sacramento River: Its problems and a plan for its protection. California Department of Fish and Game, Sacramento, CA.

Caffrey, J. M., D.E. Hammond, J.S. Kuwabara, L.G. Miller, and R.R. Twilley. 1996. Benthic processes in South San Francisco Bay: The role of organic inputs and bioturbation. Pages 425-442 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Caffrey, J. M., J.E. Cloern, and C. Grenz. 1998. Changes in production and respiration during a spring phytoplankton bloom in San Francisco Bay, California, USA: Implications for net ecosystem metabolism. Marine Ecology Progress Series 172:1-12.

Cain, D. J., J.L. Carter, S.V. Fend, S.N. Luoma, C.N. Alpers, and H.E. Taylor. 2000. Metal exposure in a benthic macroinvertebrate, *Hydropsyche californica*, related to mine drainage in the Sacramento River. Canadian Journal of Fisheries and Aquatic Sciences 57 (2):380-390.

Campbell, E. A., and P.B. Moyle. 1990. Historical and recent population sizes of spring-run chinook salmon in California. Pages 155-216 in Proceedings of the 1990 Northwest Pacific chinook and coho salmon workshop. Humboldt State University, Arcata, CA.

Canuel, E. A., J.E. Cloern, D.B. Ringelberg, J.B. Guckert, and G.H. Rau. 1995. Molecular and isotopic tracers used to examine sources of organic matter and its incorporation into the food webs of San Francisco Bay. Limnology and Oceanography 40 (1):67-81.

Canuel, E. A., and J.E. Cloern. 1996. Regional differences in the origins of organic matter in the San Francisco Bay ecosystem. Evidence from lipid biomarkers. Pages 305-324 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Carlton, J. T. 1979. Introduced invertebrates of San Francisco Bay. Pages 427-444 in T. J. Conomos, editor. San Francisco Bay, the urbanized estuary. American Association for the Advancement of Science, Pacific Division, San Francisco, CA.

Carlton, J. T., J.K. Thompson, L.E. Schemel, and F.H. Nichols. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam *Potamocorbula amurensis*. 1. Introduction and dispersal. Marine Ecology Progress Series 66:81-94.

Cashman, J. R., D.A. Maltby, R.S. Nishioka, H.A. Bern, S.J. Gee, and B.D. Hammock. 1992. Chemical contamination and the annual summer die-off of striped bass (*Morone saxatilis*) in the Sacramento-San Joaquin Delta. Chemical Research in Toxicology 5 (1):100-105.

Cayan, D. R., and D.H. Peterson. 1989. The influence of North Pacific atmospheric circulation on streamflow in the west. Pages 375-397 in D. H. Peterson, editor. Aspects of Climate Variability in the Pacific and Western Americas. American Geophysical Union, Washington, D.C.

Cech, J. J., Jr., S.J. Mitchell, D.T. Castleberry, and M. McEnroe. 1990. Distribution of California stream fishes: influence of environmental temperature and hypoxia. Environmental Biology of Fishes 29:95-105.

Chadwick, H. K. 1963. An evaluation of five tag types used in a striped bass mortality rate and migration study. California Fish and Game 49:64-83.

Chadwick, H. K. 1964. Annual abundance of young striped bass, *Morone saxatilis*, in the Sacramento-San Joaquin Delta, California. California Fish and Game 50:69-99.

Chadwick, H. K. 1967. Recent migrations of the Sacramento-San Joaquin River striped bass population. *Transactions of the American Fisheries Association* 96:327-342.

Chadwick, H. K. 1968. Mortality rates in the California striped bass population. *California Fish and Game* 54:228-246.

Chadwick, H. K. 1969. An evaluation of striped bass angling regulations based on an equilibrium yield model. *California Fish and Game* 55:12-19.

Chadwick, H. K., D.E. Stevens, and L.W. Miller. 1977. Some factors regulating the striped bass population in the Sacramento-San Joaquin Estuary, California. Pages 18-35 in W. V. Winkle, editor. *Proceedings of the conference on assessing the effects of power-plant-induced mortality on fish populations*. Pergamon Press, New York, NY.

Chadwick, H. K. 1977. Effects of water development on striped bass. Pages 123-130 in H. Clepper, editor. *Marine Recreational Fisheries, Proceedings of the Second Marine Recreational Fisheries Symposium*. Sport Fishing Institute, Washington, D.C.

Chesney, E. J., Jr. 1989. Estimating food requirements of striped bass larvae, *Morone saxatilis*: effects of light, turbidity and turbulence. *Marine Ecology Progress Series* 53:191-200.

Cifuentes, L. A., L.E. Schemel, and J.H. Sharp. 1990. Qualitative and numerical analyses of the effects of river inflow variations on mixing diagrams in estuaries. *Estuarine, Coastal and Shelf Science* 30 (4):411-427.

Cloern, J. 1982. Does the benthos control phytoplankton biomass in south San Francisco Bay? *Marine Ecology Progress Series* 9:191-202.

Cloern, J., A. Alpine, B. Cole, R. Wong, J. Arthur, and M. Ball. 1983. River discharge controls phytoplankton dynamics in the northern San Francisco Bay Estuary. *Estuarine, Coastal and Shelf Science* 16:415-429.

Cloern, J. 1987. Turbidity as a control on phytoplankton biomass and production. *Continental Shelf Research* 7:1367-1381.

Cloern, J. E. 1979. Phytoplankton ecology of the San Francisco Bay system: The status of our current understanding. Pages 164-267 in T. J. Conomos, editor. *San Francisco Bay: The urbanized estuary*. American Association for the Advancement of Science, Pacific Division, San Francisco, CA.

Cloern, J. E., and R.T. Cheng. 1981. Simulation model of *Skeletonema costatum* population dynamics in Northern San Francisco Bay, California. *Estuarine, Coastal and Shelf Science* 12:83-100.

Cloern, J. E., B.E. Cole, R.L.J. Wong, and A.A. Alpine. 1985. Temporal dynamics of estuarine phytoplankton: a case study of San Francisco Bay. *Hydrobiologia* 129:153-176.

Cloern, J. E., and F.H. Nichols. 1985. Time scales and mechanisms of estuarine variability, a synthesis from studies of San Francisco Bay. Pages 229-237 in J. E. Cloern, and F.H. Nichols, editors. *Temporal Dynamics of an Estuary-San Francisco Bay*. Dr. W. Junk Publishers, Boston, MA.

Cloern, J. E., and F.H. Nichols. 1985. *Temporal dynamics of an estuary: San Francisco Bay*. Dr. W. Junk, Dordrecht, Netherlands.

Cloern, J. E., T.M. Powell, and L.M. Huzzey. 1989. Spatial and temporal variability in south San Francisco Bay (USA). II. Temporal changes in salinity, suspended sediments, and phytoplankton biomass and productivity over tidal time scales. *Estuarine, Coastal and Shelf Science* 28:599-613.

Cloern, J. E. 1991. Tidal stirring and phytoplankton bloom dynamics in an estuary. *Journal of Marine Research* 49 (1):203-221.

Cloern, J. E., B.E. Cole, and S.W. Hager. 1994. Notes on a *Mesodinium rubrum* red tide in San Francisco Bay (California, USA). *Journal of Plankton Research* 16 (9):1269-1276.

Cloern, J. E., C. Grenz, and L. Lucas-Vidergar. 1995. An empirical model of the phytoplankton chlorophyll:Carbon ratio - the conversion factor between productivity and growth rate. *Limnology and Oceanography* 40 (7):1313-1321.

Cloern, J. E. 1996. Phytoplankton bloom dynamics in coastal ecosystems: a review with some general lessons from sustained investigation of San Francisco Bay, California. *Reviews of Geophysics* 34:127-168.

Cloern, J. E. 1999. The relative importance of light and nutrient limitation of phytoplankton growth: A simple index of coastal ecosystem sensitivity to nutrient enrichment. *Aquatic Ecology* 33 (1):3-16.

Cohen, A. N., and J.T. Carlton. 1998. Accelerating invasion rate in a highly invaded estuary. *Science* 279:555-558.

Cole, B. E., J.E. Cloern, and A.E. Alpine. 1986. Biomass and productivity of three phytoplankton size classes in San Francisco Bay. *Estuaries* 9:117-126.

Cole, B. E., and J.E. Cloern. 1987. An empirical model for estimating phytoplankton productivity in estuaries. *Marine Ecology Progress Series* 36:299-305.

Cole, B. E., J.K. Thompson, and J.E. Cloern. 1992. Measurement of filtration rates by infaunal bivalves in a recirculating flume. *Marine Biology* 113:219-225.

Colt, J. 1984. Seasonal changes in dissolved-gas supersaturation in the Sacramento River (California, USA) and possible effects on striped bass (*Morone saxatilis*). *Transactions of the American Fisheries Society* 113 (5):655-665.

Colwell, M. A., and O.W. Taft. 2000. Waterbird communities in managed wetlands of varying water depth. *Waterbirds* 23 (1):45-55.

Conomos, T. 1979. Properties and circulation of San Francisco Bay waters. Pages 47-84 in T. Conomos, editor. *San Francisco Bay: the urbanized estuary*. Pacific Division, American Association for the Advancement of Science, San Francisco, CA.

Conomos, T. J., and D.H. Peterson. 1977. Suspended-particle transport and circulation in San Francisco Bay, an overview. Pages 82-97 in *Estuarine Processes Vol. II*. Academic Press, New York, NY.

Conomos, T. J. 1979. *San Francisco Bay: The urbanized estuary*. Pacific Division, American Association for the Advancement of Science, San Francisco, CA.

Conomos, T. J., R.E. Smith, and J.W. Gartner. 1985. Environmental Setting of San Francisco Bay (California, USA). *Hydrobiologia* 129 (1):1-12.

Culberson, S. D., C.B. Harrison, C. Enright, and M.L. Nobriga. 2004. Sensitivity of larval fish transport to location, timing, and behavior using a particle tracking model in Suisun Marsh, California. Pages 257-267 in F. Feyrer, L. Brown, R. Brown, and J. Orsi, editors. *Early Life History of Fishes in the San Francisco Estuary and Watershed*. American Fisheries Society, Symposium 39, Bethesda, Maryland.

Currie, R. J., W.A. Bennett, and T.L. Beiting. 1998. Critical thermal minima and maxima of three freshwater game-fish species acclimated to constant temperatures. *Environmental Biology of Fishes* 51:187-200.

Cutter, G. A. 1989. The estuarine behavior of selenium in San Francisco Bay (California, USA). *Estuarine, Coastal and Shelf Science* 28 (1):13-34.

Daniels, R. A., and P.B. Moyle. 1983. Life history of the splittail (Cyprinidae: Pogonichthys macrolepidotus) in the Sacramento-San Joaquin estuary. *U.S. National Marine Fishery Bulletin* 81:647-654.

Davis, J. A., A.J. Gunther, and J.M. O'Conner. 1992. Priority pollutant loads from effluent discharges to the San Francisco Estuary. *Water Environment Research* 64:134-140.

Domagalski, J. L., and K.M. Kuivila. 1993. Distributions of pesticides and organic contaminants between water and suspended sediment, San Francisco Bay, California. *Estuaries* 16 (3A):416-426.

Domagalski, J. L. 1996. Occurrence of dicofol in the San Joaquin River, California. *Bulletin of Environmental Contamination and Toxicology* 57 (2):284-291.

Domagalski, J. L. 1997. Results of prototype surface water network design for pesticides developed for the San Joaquin River Basin, California. *Journal of Hydrology (Amsterdam)* 192 (1-4):33-50.

Domagalski, J. L., N.M. Dubrovsky, and C.R. Kratzner. 1997. Pesticides in the San Joaquin River, California: Inputs from the dormant sprayed orchards. *Journal of Environmental Quality* 26 (2):454-465.

Dunlap, C. E., R. Bouse, and A.R. Flegal. 2000. Past leaded gasoline emissions as a nonpoint source tracer in riparian systems: A study of river inputs to San Francisco Bay. *Environmental Science and Technology* 34 (7):1211-1215.

Earle, C. J. 1993. Asynchronous droughts in California streamflow as reconstructed from tree rings. *Quaternary Research (Orlando)* 39 (3):290-299.

Fancett, M. S., and W.J. Kimmerer. 1985. Vertical migration of the demersal copepod *Pseudodiaptomus* as a means of predator avoidance. *The Journal of Experimental Marine Biology* 88:31-43.

Ferrari, F. D., and J. Orsi. 1984. *Oithona davisae*, new species, and *Limnoithona sinensis* (Burckhardt, 1912) (Copepoda: Oithonidae) from the Sacramento-San Joaquin Estuary, California. *Journal of Crustacean Biology* 4 (1):106-126.

Feyrer, F., and R. Baxter. 1998. Splittail fecundity and egg size. *California Fish and Game* 84:119-126.

Feyrer, F., B. Herbold, S.A. Matern, and P.B. Moyle. 2003. Dietary shifts in a stressed fish assemblage: Consequences of a bivalve invasion in the San Francisco Estuary. *Environmental Biology of Fishes* 67 (3):277-288.



Feyrer, F., and M. Healey. 2003. Fish communities and environmental correlates in the highly altered southern Sacramento-San Joaquin Delta. *Environmental Biology of Fishes* 66 (2):123-132.

Feyrer, F., L. Brown, R. Brown, and J. Orsi. 2004. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society Symposium, Bethesda, Maryland.

Feyrer, F. 2004. Ecological segregation of native and alien larval fish assemblages in the southern Sacramento-San Joaquin Delta. Pages 67-79 in F. Feyrer, L. Brown, R. Brown, and J. Orsi, editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.

Feyrer, F., T. Sommer, S. Zeug, G. O'Leary, and W. Harrell. 2004. Fish assemblages of perennial floodplain ponds of the Sacramento River, California (USA), with implications for the conservation of native fish. *Fisheries Management and Ecology* 11:335-344.

Feyrer, F., T. Sommer, and W. Harrell. 2006. Importance of flood dynamics versus intrinsic physical habitat in structuring fish communities: evidence from two adjacent engineered floodplains on the Sacramento River, California. *North American Journal of Fisheries Management* 26 (2): 408-417.

Feyrer, F., T. Sommer, and W. Harrell. 2006. Managing floodplain inundation for native fish: production dynamics of age-0 splittail in California's Yolo Bypass. *Hydrobiologia* (in press).

Fisher, F. W. 1994. Past and present status of Central Valley chinook salmon. *Conservation Biology: the journal of the Society for Conservation Biology* 8:870-873.

Fisher, R. N., and H.B. Shaffer. 1996. The decline of amphibians in California's Great Central Valley. *Conservation Biology: the journal of the Society for Conservation Biology* 10 (5):1387-1397.

Ford, T., and L.R. Brown. 2001. Distribution and abundance of chinook salmon and resident fishes of the lower Tuolumne River, California. Pages 253-304 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Fry, B. 1999. Using stable isotopes to monitor watershed influences on aquatic trophodynamics. *Canadian Journal of Fisheries and Aquatic Sciences* 56 (11):2167-2171.

Fuller, C. C., A. van Geen, M. Baskaran, and R. Anima. 1999. Sediment chronology in San Francisco Bay, California, defined by <sup>210</sup>Pb, <sup>234</sup>Th, <sup>137</sup>Cs, and <sup>239,240</sup>Pu. *Marine Chemistry* 64 (1-2):7-27.

Gall, G. A. E., D. Bartley, B. Bentley, J. Brodziak, R. Gomulkiewicz, and M. Mangel. 1992. Geographic variation in population genetic structure of chinook salmon from California and Oregon. *U.S. National Marine Fisheries Fishery Bulletin* 90 (1):77-100.

Gallagher, S. P. 1993. Life history variation in the temporary pool snail, *Fossaria sonomaensis*, in the Northern Sacramento Valley. *American Midland Scientist* 130 (2):372-385.

Gallagher, S. P., and M.F. Gard. 1999. Relationships between chinook salmon (*Oncorhynchus tshawytscha*) redd densities and PHABSIM-predicted habitat in the Merced and lower American rivers, California. *Canadian Journal of Fisheries and Aquatic Sciences* 56:570-577.

Gates, V. L., and R.S. Tjeerdema. 1993. Disposition and biotransformation of pentachlorophenol in the striped bass (*Morone saxatilis*). *Pesticide Biochemistry and Physiology* 46 (2):161-170.

Greig, C., and M. A. Banks. 1999. Five multiplexed microsatellite loci for rapid response run identification of California's endangered winter chinook salmon. *Animal Genetics* 30:318-320.

Greig, C., J. M. Robertson, and M. A. Banks. 2002. Rapid PCR-based species tests for threatened sympatric salmonids. *Conservation Genetics* 3:83-86.

Grimaldo, L., R. Miller, C. Peregrin, and Z. Hymanson. 2004. Spatial and temporal distribution of native and alien ichthyoplankton in three habitat types in the Sacramento-San Joaquin Delta. Pages 81-96 in F. Feyrer, L. Brown, R. Brown, and J. Orsi, editors. *Early Life History of Fishes in the San Francisco Estuary and Watershed*. American Fisheries Society, Symposium 39, Bethesda, Maryland.

Hager, S. W., and L.E. Schemel. 1992. Sources of nitrogen and phosphorus to northern San Francisco Bay. *Estuaries* 15 (1):40-52.

Hager, S. W., and L.E. Schemel. 1996. Dissolved inorganic nitrogen, phosphorus and silicon in South San Francisco Bay. I. Major factors affecting distributions. Pages 189-216 in J. T. Hollibaugh, editor. *San Francisco Bay: The ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Hair, J. R. 1971. Upper lethal temperature and thermal shock tolerances of the opossum shrimp, *Neomysis awatschensis*, from the Sacramento-San Joaquin Estuary, California. *California Fish and Game* 57:17-27.

Hall, R. K., P. Husby, G.A. Wolinsky, O. Hansen, and M. Mares. 1998. Site access and sample frame issues for R-EMAP Central Valley, California, stream assessment. *Environmental Monitoring and Assessment* 51 (1-2):357-367.

Hall, R. K., A. Olsen, D. Stevens, B. Rosenbaum, P. Husby, G.A. Wolinsky, and D.T. Heggem. 2000. EMAP design and River Reach File 3 (RF3) as a sample frame in the Central Valley, California. *Environmental Monitoring and Assessment* 64 (1):69-80.

Hallock, R. J., R.F. Elwell, and D.H. Fry Jr. 1970. Migrations of adult king salmon *Oncorhynchus tshawytscha* in the San Joaquin Delta; as demonstrated by the use of sonic tags. *California Department of Fish and Game Fish Bulletin* 151:8-92.

Hallock, R. J., and H. Rectenwald. 1990. Environmental factors contributing to the decline of the winter-run chinook salmon on the upper Sacramento River. Pages 141-145 in *Proceedings of the 1990 Northwest Pacific chinook and coho salmon workshop*. Humboldt State University, Arcata, CA.

Hamilton, S. J., and R.H. Wiedmeyer. 1990. Concentrations of boron, molybdenum, and selenium in chinook salmon. *Transactions of the American Fisheries Society* 119 (3):500-510.

Hamilton, S. J., and K.J. Buhl. 1990. Safety assessment of selected inorganic elements to fry of chinook salmon (*Oncorhynchus tshawytscha*). *Ecotoxicology and Environmental Safety* 20 (3):307-324.

Hansen, L. D., K.J. Maier, and A.W. Knight. 1993. The effect of sulfate on the bioconcentration of selenate by *Chironomus decorus* and *Daphnia magna*. *Archives of Environmental Contamination and Toxicology* 25 (1):72-78.

Hanson, C. H. 2001. Are juvenile chinook salmon entrained at unscreened diversions in direct proportion to the volume of water diverted? Pages 331-342 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Harrell, W. C., and T. R. Sommer. 2003. Patterns of adult fish use on California's Yolo Bypass floodplain. Pages 88-93 in P.M. Faber, editor. California Riparian Systems: Processes and Floodplain Management, Ecology and Restoration. Proceedings of the 2001 Riparian Habitat and Floodplains Conference. Riparian Habitat Joint Venture, Sacramento, CA.

Heath, A. G., J.J. Cech, L. Brink, P. Moberg, and J.G. Zinkl. 1997. Physiological responses of fathead minnow larvae to rice pesticides. *Ecotoxicology and Environmental Safety* 37 (3):280-288.

Hedgecock, D., M.A. Banks, V.K. Rashbrook, C.A. Dean, and S.M. Blankenship. 2001. Applications of population genetics to conservation of chinook salmon diversity in the Central Valley. Pages 45-70 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Hedrick, P. W., D. Hedgecock, and S. Hamelberg. 1995. Effective population size in winter-run chinook salmon. *Conservation Biology: the journal of the Society for Conservation Biology* 9 (3):615-624.

Hedrick, P. W. 1999. Perspective: Highly variable genetic loci and their interpretation in evolution and conservation. *Evolution* 53:313-318.

Hedrick, P. W., D. Hedgecock, S. Hamelberg, and S.J. Croci. 2000. The impact of supplementation in winter-run chinook salmon on effective population size. *The Journal of Heredity* 91 (2):112-116.

Hedrick, P. W., V.K. Rashbrook, and D. Hedgecock. 2000. Effective population size of winter-run chinook salmon based on microsatellite analysis of returning spawners. *Canadian Journal of Fisheries and Aquatic Sciences* 57 (12):2368-2373.

Hensley, G. H., and F.M. Nahhas. 1975. Parasites of fishes from the Sacramento-San Joaquin Delta, California. *California Department of Fish and Game* 61:201-208.

Herbold, B., and P.B. Moyle. 1986. Introduced species and vacant niches. *The American Naturalist* 128:751-760.

Herbold, B., A.D. Jassby, and P.B. Moyle. 1989. The ecology of the Sacramento-San Joaquin Delta: a community profile. U.S. Fish and Wildlife Service Biological Report 85:1-106.

Herren, J. R., and S.S. Kawasaki. 2001. Inventory of water diversions in four geographic areas in California's Central Valley. Pages 343-355 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Hershler, R. 1995. New freshwater snails of the genus *Pyrgulopsis* (Rissooidea: Hydrobiidae) from California. *Veliger* 38 (4):343-373.

Heubach, W., R.J. Toth, and A.M. McCready. 1963. Food of young-of-the-year striped bass (*Morone saxatilis*) in the Sacramento-San Joaquin River system. *California Fish and Game* 49:224-239.

Hinton, D. E. 1998. Multiple stressors in the Sacramento River watershed. Pages 303-317 in T. Braunbeck, D.E. Hinton and B.Streit, editors. EXS (Basel); Fish Ecotoxicology. Birkhaeuser Verlag, Cambridge, MA.

Hollibaugh, J. T., and P.S. Wong. 1992. Ethanol-extractable substrate pools and the incorporation of thymidine L leucine and other substrates by bacterioplankton. *Canadian Journal of Microbiology* 38 (7):605-613.

Hollibaugh, J. T. 1994. Relationship between thymidine metabolism, bacterioplankton community metabolic capabilities, and sources of organic matter. *Microbial Ecology* 28 (2):117-131.

Hollibaugh, J. T. 1996. San Francisco Bay: The Ecosystem. Further Investigations into the Natural History of San Francisco Bay and Delta With Reference to the Influence of Man. American Association for the Advancement of Science, San Francisco, CA.

Hollibaugh, J. T., and P.S. Wong. 1996. Distribution and activity of bacterioplankton in San Francisco Bay. Pages 263-288 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Hollibaugh, J. T., and P.S. Wong. 1999. Microbial processes in the San Francisco Bay estuarine turbidity maximum. *Estuaries* 22:848-862.

Hopkins, T. E., and J.J. Cech Jr. 1992. Physiological effects of capturing striped bass in gill nets and fyke traps. *Transactions of the American Fisheries Society* 121 (6):819-822.

Hornberger, M. I., S.N. Luoma, A. van Geen, C. Fuller, and R. Anima. 1999. Historical trends of metals in the sediments of San Francisco Bay, California. *Marine Chemistry* 64 (1-2):39-55.

Hostettler, F. D., J.B. Rapp, and K.A. Kvenvolden. 1992. Use of geochemical biomarkers in bottom sediment to track oil from a spill, San Francisco Bay, California. *Marine Pollution Bulletin* 24 (1):15-20.

Hostettler, F. D., W.E. Pereira, K.A. Kvenvolden, A. van Geen, S.N. Luoma, C.C. Fuller, and R. Anima. 1999. A record of hydrocarbon input to San Francisco Bay as traced by biomarker profiles in surface sediment and sediment cores. *Marine Chemistry* 64 (1-2):115-127.

Huzzey, L. M., J.E. Cloern, and T.M. Powell. 1990. Episodic changes in lateral transport and phytoplankton distribution in south San Francisco Bay (California, USA). *Limnology and Oceanography* 35 (2):472-478.

Ingersoll, C. G., F.J. Dwyer, and T.W. May. 1990. Toxicity of inorganic and organic selenium to *Daphnia magna* (Cladocera) and *Chironomus riparius* (Diptera). *Environmental Toxicology and Chemistry* 9 (9):1171-1182.

Ingram, B. L., J.C. Ingle, and M. E. Conrad. 1996. Isotopic records of pre-historic salinity and river inflow in San Francisco Bay Estuary. Pages 35-61 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. Pacific Division, American Association for the Advancement of Science, San Francisco, CA.

Isola, C. R., M.A. Colwell, O.W. Taft, and R.J. Safran. 2000. Interspecific differences in habitat use of shorebirds and waterfowl foraging in managed wetlands of California's San Joaquin Valley. *Waterbirds* 23 (2):196-203.

- Jarman, W. M., G.W. Johnson, C.E. Bacon, J.A. Davis, R.W. Risebrough, and R. Ramer. 1997. Levels and patterns of polychlorinated biphenyls in water collected from the San Francisco Bay and Estuary, 1993-95. *Fresenius' Journal of Analytical Chemistry* 359 (3):254-260.
- Jassby, A. D., J. E. Cloern and T.M. Powell. 1993. Organic carbon sources and sinks in San Francisco Bay - variability induced by river flow. *Marine Ecology Progress Series* 95:39-54.
- Jassby, A. D., and T.M. Powell. 1994. Hydrodynamic influences on interannual chlorophyll variability in an estuary: Upper San Francisco Bay-Delta. *Estuarine, Coastal and Shelf Science* 39 (6):595-618.
- Jassby, A. D., W.J. Kimmerer, S.G. Monismith, C. Armor, J.E. Cloern, T.M. Powell, J.R. Schubel, and T.J. Vendlinski. 1995. Isohaline position as a habitat indicator for estuarine populations. *Ecological Applications: a publication of the Ecological Society of America* 5:272-289.
- Jassby, A. D., J. R. Koseff and S. G. Monismith. 1996. Processes underlying phytoplankton variability in San Francisco Bay. Pages 325-350 in J. T. Hollibaugh, editor. *San Francisco Bay: The Ecosystem*. Pacific Division of the American Association for the Advancement of Science, San Francisco, CA.
- Jassby, A. D., B. E. Cole, and J. E. Cloern. 1997. The design of sampling transects for characterizing water quality in estuaries. *Estuarine, Coastal and Shelf Science* 45 (3):285-302.
- Jassby, A. D., and J. E. Cloern. 2000. Organic matter sources and rehabilitation of the Sacramento-San Joaquin Delta (California, USA). *Aquatic Conservation: Marine and Freshwater Ecosystems* 10 (5):323-352.
- Jassby, A. D., J. E. Cloern and B. E. Cole. 2002. Annual primary production: Patterns and mechanisms of change in a nutrient-rich tidal ecosystem. *Limnology and Oceanography* 47 (3):698-712.
- Jennings, M. R., and M.K. Saiki. 1990. Establishment of red shiner, *Notropis lutrensis*, in the San Joaquin Valley, California (USA). *California Fish and Game* 76 (1):46-57.
- Johns, C., S.N. Luoma, and V. Elrod. 1988. Selenium accumulation in benthic bivalves and fine sediments of San Francisco Bay, the Sacramento-San Joaquin Delta (USA), and selected tributaries. *Environmental Toxicology and Chemistry* 14 (7):1141-1150.
- Kelley, D. W. 1966. Ecological studies of the Sacramento-San Joaquin Estuary, Part 1: zooplankton, zoobenthos, and fishes of San Pablo and Suisun Bays, zooplankton and zoobenthos of the Delta. *Fish Bulletin* 133. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.
- Kim, J. T., K.M. Parker, and P.W. Hedrick. 1999. MHC differentiation in Sacramento River chinook salmon. *Genetics* 151:1115-1122.
- Kimmerer, W. J., S.V. Smith, and J.T. Hollibaugh. 1993. A simple heuristic model of nutrient cycling in an estuary. *Estuarine, Coastal and Shelf Science* 37 (2):145-159.
- Kimmerer, W. J., E. Gartside, and J.J. Orsi. 1994. Predation by an introduced clam as the likely cause of substantial declines in zooplankton of San Francisco Bay. *Marine Ecology Progress Series* 113:81-93.
- Kimmerer, W. J., and J. J. Orsi. 1996. Changes in the zooplankton of the San Francisco Bay estuary since the introduction of the clam *Potamocorbula amurensis*. Pages 403-425 in J. T. Hollibaugh, editor. *San Francisco Bay: The Ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Kimmerer, W. J., and J. J. Orsi. 1996. Causes of long-term declines in zooplankton in the San Francisco Bay estuary since 1987. Pages 403-424 in J. T. Hollibaugh, editor. San Francisco Bay: the ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Kimmerer, W. J., J.R. Burau, and W.A. Bennett. 1998. Tidally oriented vertical migration and position maintenance of zooplankton in a temperate estuary. *Limnology and Oceanography* 43 (7):1697-1709.

Kimmerer, W. J., J.H. Cowan, Jr., L.W. Miller, and K.A. Rose. 2000. Analysis of an estuarine striped bass (*Morone saxatilis*) population: Influence of density-dependent mortality between metamorphosis and recruitment. *Canadian Journal of Fisheries and Aquatic Sciences* 57:478-486.

Kimmerer, W. J., J.H. Cowan, Jr., L.W. Miller, and K.A. Rose. 2001. Analysis of an estuarine striped bass population: effects of environmental conditions during early life. *Estuaries* 24 (4):557-575.

Kimmerer, W. J., B. Mitchell, and A. Hamilton. 2001. Building models and gathering data: Can we do this better? Pages 305-318 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179, Vol. 2. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Kimmerer, W. J., J.R. Burau, and W.A. Bennett. 2002. Persistence of tidally-oriented vertical migration by zooplankton in a temperate estuary. *Estuaries* 25 (3):359-371.

Kimmerer, W. J. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? *Marine Ecology Progress Series* 243:39-55.

Kimmerer, W. J. 2002. Physical, biological, and management responses to variable freshwater flow into the San Francisco Estuary. *Estuaries* 25:1275-1290.

Kjelson, M. A., P. F. Raquel and F. W. Fisher. 1981. Influences of freshwater inflow on chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento-San Joaquin Estuary. Pages 88-108 in R. D. Cross, and D.L. Williams, editors. Proceedings of the National Symposium on Freshwater Inflow to Estuaries. Coastal Ecosystems Project, Office of Biological Services, U.S. Fish and Wildlife Service, U.S. Department of the Interior.

Kjelson, M. A., P. F. Raquel and F. W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin estuary, California. Pages 393-411 in V. S. Kennedy, editor. Estuarine comparisons. Academic Press, New York, NY.

Kjelson, M. A., and P.L. Brandes. 1989. The use of smolt survival estimates to quantify the effects of habitat changes on salmonid stocks in the Sacramento-San Joaquin rivers, California. Special Publication of *Canadian Journal of Fisheries and Aquatic Sciences* 105:100-115.

Kjelson, M. A., S. Greene, and P.L. Brandes. 1989. A model for estimating mortality and survival of fall-run chinook salmon smolts in the Sacramento River Delta between Sacramento and Chipps Island (Stockton, CA). U.S. Fish and Wildlife Service, U.S. Department of the Interior.

Knutson, A. C., Jr., and J.J. Orsi. 1983. Factors regulating abundance and distribution of the shrimp *Neomysis mercedis* in the Sacramento-San Joaquin Estuary. *Transactions of the American Fisheries Society* 112:476-485.

Kohlhorst, D. W. 1976. Sturgeon spawning in the Sacramento River in 1973, as determined by distribution of larvae. *California Fish and Game* 62:32-40.

Kohlhorst, D. W., L.W. Botsford, J.S. Brennan, and G.M. Caillet. 1991. Aspects of the structure and dynamics of an exploited central California population of white sturgeon (*Acipenser transmontanus*). Pages 277-293 in P. Willott, editor. *Acipenser*. Cemagref Publishers, Bordeaux, France.

Kohlhorst, D. W. 1999. Status of striped bass in the Sacramento-San Joaquin Estuary. *California Fish and Game* 85 (1):31-36.

Kondolf, G. M., J.C. Vick, and T.M. Ramirez. 1996. Salmon spawning habitat rehabilitation on the Merced River, California: An evaluation of project planning and performance. *Transactions of the American Fisheries Society* 125 (N6):899-912.

Kondolf, G. M. 2000. Some suggested guidelines for geomorphic aspects of anadromous salmonid habitat restoration proposals. *Restoration Ecology* 8 (1):48-56.

Koseff, J. R., J.K. Holen, S.G. Monismith, and J.E. Cloern. 1993. Coupled effects of vertical mixing and benthic grazing on phytoplankton populations in shallow, turbid estuaries. *Journal of Marine Research* 51 (4):843-868.

Kuivila, K. M., and C.G. Foe. 1995. Concentrations, transport and biological effects of dormant spray pesticides in the San Francisco Estuary, California. *Environmental Toxicology and Chemistry* 14 (7):1141-1150.

Kuwabara, J. S., C.C.Y. Chang, J.E. Cloern, T.L. Fries, J.A. Davis, and S.N. Luoma. 1989. Trace metal associations in the water column of South San Francisco Bay, California. *Estuarine, Coastal and Shelf Science* 28:307-325.

Kuwabara, J. S., C.C.Y. Chang, A. I. Khechfe, and Y.R. Hunter. 1996. Importance of dissolved sulfides and organic substances in controlling the chemical speciation of heavy metals in San Francisco Bay. Pages 157-172 in J. T. Hollibaugh, editor. *San Francisco Bay: The ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Law, P. W. 1994. A simulation study of salmon carcass survey by capture-recapture method. *California Fish and Game* 80:14-28.

Lehman, P. W., and R. W. Smith. 1991. Environmental factors associated with phytoplankton succession for the Sacramento-San Joaquin Delta and Suisun Bay Estuary, California. *Estuarine, Coastal and Shelf Science* 32:105-128.

Lehman, P. W. 1992. Environmental factors associated with long-term changes in chlorophyll concentration in the Sacramento-San Joaquin Delta and Suisun Bay, California. *Estuaries* 15 (3):335-348.

Lehman, P. W. 1996. Changes in chlorophyll a concentration and phytoplankton community composition with water-year type in the upper San Francisco Bay Estuary. Pages 351-374 in J. T. Hollibaugh, editor. *San Francisco Bay: The Ecosystem*. Pacific Division of the American Association for the Advancement of Science, San Francisco, CA.

Lehman, P. W. 1996. Water quality conditions in the Sacramento-San Joaquin Delta 1970-1993. Environmental Services Office, California Department of Water Resources, Sacramento, CA.

Lehman, P. W. 2000. The influence of climate on phytoplankton community biomass in San Francisco Bay Estuary. *Limnology and Oceanography* 45 (3):580-590.

Lehman, P. W. 2000. Phytoplankton biomass, cell diameter and species composition in the low salinity zone of northern San Francisco Bay Estuary. *Estuaries* 23:216-230.

Leidy, R. A., and P.B. Moyle. 1998. Conservation status of the world's fish fauna: An overview. Pages 187-227 in P. L. Fiedler, and P.M. Kareiva, editors. *Conservation Biology for the Coming Decade*. Chapman & Hall, New York, NY.

Leitritz, E., and R.C. Lewis. 1980. Trout and salmon culture (hatchery methods). *Fish Bulletin* 164. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Leland, H. V., and S.V. Fend. 1998. Benthic invertebrate distributions in the San Joaquin River, California, in relation to physical and chemical factors. *Canadian Journal of Fisheries and Aquatic Sciences* 55 (5):1051-1067.

Logan, S. H. 1990. Global warming and the Sacramento-San Joaquin Delta (California, USA). *California Agriculture* 44 (3):16-18.

Long, E. R., and R. Markel. 1992. An evaluation of the extent and magnitude of biological effects associated with chemical contaminants in San Francisco Bay, California. Technical Memorandum. National Ocean Service, Office of Ocean Resources Conservation and Assessment, Seattle, WA.

Losi, M. E., and W.T. Frankenberger. 1997. Bioremediation of selenium in soil and water. *Soil Science* 162 (10):692-702.

Luoma, S. N., D. Cain, and C. Johansson. 1985. Temporal fluctuations of silver, copper, and zinc in the bivalve *Macoma balthica* at five stations in South San Francisco Bay. *Hydrobiologia* 129:109-120.

Luoma, S. N., and D.J.H. Phillips. 1988. Distribution, variability, and impacts of trace elements in San Francisco Bay. *Marine Pollution Bulletin* 19:413-425.

Luoma, S. N., R. Dagovitz, and E. Axtmann. 1990. Temporally intensive study of trace metals in sediments and bivalves from a large river-estuarine system: Suisun Bay/Delta in San Francisco Bay. *The Science of the Total Environment* 97/98:685-712.

Luoma, S. N., A. van Geen, B.G. Lee, and J.E. Cloern. 1998. Metal uptake by phytoplankton during a bloom in South San Francisco Bay: Implications for metal cycling in estuaries. *Limnology and Oceanography* 43 (5):1007-1016.

MacFarlane, R. B., and P.E. Benville Jr. 1986. Primary and secondary stress responses of striped bass (*Morone saxatilis*) exposed to benzene. *Marine Biology (Berlin)* 92 (2):245-254.

MacFarlane, R. B., and E.C. Norton. 2002. Physiological ecology of juvenile chinook salmon (*Oncorhynchus tshawytscha*) at the southern end of their distribution, the San Francisco Estuary and Gulf of the Farallones, California. *Fisheries Bulletin* 100:244-257.

Matern, S. A., and K.J. Fleming. 1995. Invasion of a third Asian goby *Tridentiger bifasciatus* in California. *California Fish and Game* 81:71-76.



McEwan, D. R., and J. Nelson. 1991. Steelhead restoration plan for the American River. California Department of Fish and Game, Sacramento, CA.

McEwan, D. R., and T.A. Jackson. 1996. Steelhead restoration and management plan for California. California Department of Fish and Game, Sacramento, CA.

McEwan, D. R. 2001. Central Valley Steelhead. Pages 1-44 in R.L. Brown, editor. Contributions to the Biology of the Central Valley Salmonids: Fish Bulletin 179. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

McGowan, M. F. 1986. Northern anchovy, *Engraulis mordax*, spawning in San Francisco Bay, California, 1978-79, relative to hydrography and zooplankton prey of adults and larvae. Fisheries Bulletin 84:879-894.

Meinz, M., and W.L. Mecum. 1977. A range extension of Mississippi silversides in California. California Fish and Game 63:277-278.

Meng, L., and J.J. Orsi. 1991. Selective predation by larval striped bass on native and introduced copepods. Transactions of the American Fisheries Society 120:187-192.

Meng, L., P.B. Moyle, and B. Herbold. 1994. Changes in abundance and distribution of native and introduced fishes of Suisun Marsh. Transactions of the American Fisheries Society 123:498-507.

Meng, L., and P. B. Moyle. 1995. Status of Sacramento splittail in the Sacramento-San Joaquin Estuary. Transactions of the American Fisheries Society 124:538-549.

Meng, L., and S.A. Matern. 2001. Native and introduced larval fishes of Suisun Marsh, California: The effects of freshwater flow. Transactions of the American Fisheries Society 130:750-765.

Merz, J. E., and C.D. Vanicek. 2000. Comparative feeding habits of juvenile chinook salmon, steelhead, and Sacramento squawfish in the lower American River, California. California Fish and Game 82 (4):149-159.

Mesick, C. 2001. The effects of San Joaquin River flows and Delta export rates during October on the number of adult San Joaquin chinook salmon that stray. Pages 139-162 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Mesick, C. 2001. Studies of spawning habitat for fall-run chinook salmon in the Stanislaus River between Goodwin Dam and Riverbank from 1994 to 1997. Pages 217-252 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Miller, L. W. 1972. White sturgeon population characteristics in the Sacramento-San Joaquin Estuary as measured by tagging. California Fish and Game 58:94-101.

Miller, L. W. 1972. Migrations of sturgeon tagged in the Sacramento-San Joaquin Estuary. California Fish and Game 58:102-106.

Mills, C. E., and F. Sommer. 1995. Invertebrate introductions in marine habitats: Two species of Hydromedusae (Cnidaria) native to the Black Sea, *Maeotias inexpectata* and *Blackfordia virginica*, invade San Francisco Bay. Marine Biology 122:279-288.

Mills, T. J., D.R. McEwan, and M.R. Jennings. 1997. California salmon and steelhead: Beyond the crossroads. Pages 91-111 in P. B. D. Stouder, and R. Naiman, editors. Pacific salmon and their ecosystems: Status and future options. Chapman and Hall, New York, NY.

Miyamoto, J. J., and R.D. Hartwell. 2001. Population trends and escapement estimation of Mokelumne River fall-run chinook salmon (*Oncorhynchus tshawytscha*). Pages 197-216 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Modlin, R. F., and J.J. Orsi. 1997. *Acanthomysis bowmani*, a new species, and *A. asperali*, Mysidacea newly reported from the Sacramento-San Joaquin Estuary, California (Crustacea: Mysidae). Proceedings of the Biological Society of Washington 110 (3):439-446.

Mongan, T. R., and B.J. Miller. 1992. Water quality and water management: Sacramento-San Joaquin river system. Pages 85-115 in C. D. Becker, and D.A. Neitzel, editors. Water Quality in North American River Systems. 117<sup>th</sup> Annual meeting of the American Fisheries Society, Winston-Salem, North Carolina, USA, 1987. Battelle Press, Columbus, OH.

Monismith, S. G., J.R. Koseff, J.K. Thompson, C.A. O'Riordan, and H.M. Nepf. 1990. A study of model bivalve siphonal currents. Limnology and Oceanography 35:680-696.

Monismith, S. G., J.R. Burau, and M. Stacey. 1996. Stratification dynamics and gravitational circulation on northern San Francisco Bay. Pages 123-153 in J. T. Hollibaugh, editor. San Francisco Bay: The ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Monismith, S. G., W.J. Kimmerer, J.R. Burau, and M. Stacey. 2002. Structure and flow-induced variability of the subtidal salinity field in northern San Francisco Bay. Journal of Physical Oceanography 32 (11):3003-3019.

Moyle, P. B., J.J. Smith, R.A. Daniels, T.L. Taylor, D.G. Price, and D.M. Baltz. 1982. Distribution and ecology of stream fishes of the Sacramento-San Joaquin drainage system, California. University of California Publications in Zoology 115:1-256.

Moyle, P. B., and D.M. Baltz. 1985. Microhabitat use by an assemblage of California stream fishes: Developing criteria for instream flow requirements. Transactions of the American Fisheries Society 114:695-704.

Moyle, P. B., R.A. Daniels, B. Herbold, and D.M. Baltz. 1986. Patterns in distribution and abundance of a non-coevolved assemblage of estuarine fishes in California. Fisheries Bulletin 84:105-118.

Moyle, P. B. 1986. Fish introductions into North America: patterns and ecological impact. Pages 27-43 in H. A. Mooney, and J.A. Drake, editors. Ecology of Biological Invasions of North America and Hawaii. Springer-Verlag, New York, NY.

Moyle, P. B., J.E. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern in California. California Department of Fish and Game, Sacramento, CA.

Moyle, P. B., and J.E. Williams. 1990. Biodiversity loss in the temperate zone: Decline of the native fish fauna of California. Conservation Biology: the journal of the Society for Conservation Biology 4:275-84.

Moyle, P. B., B. Herbold, D.E. Stevens, and L.W. Miller. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. *Transactions of the American Fisheries Society* 121:67-77.

Moyle, P. B., and R.A. Leidy. 1992. Loss of biodiversity in aquatic ecosystems: Evidence from fish faunas. Pages 127-170 in P. L. Fiedler, and S. K. Jain, editors. *Conservation biology: The theory and practice of nature conservation, preservation, and management*. Chapman & Hall, New York, NY.

Moyle, P. B. 1993. Saving California's salmon: The legacy of Ishi. *TROUT, The Journal of Coldwater Fisheries Foundation* Summer:14-17.

Moyle, P. B. 1994. The decline of anadromous fishes in California. *Conservation Biology: the journal of the Society for Conservation Biology* 8:869-870.

Moyle, P. B., and T. Light. 1996. Biological invasions of fresh water: empirical rules and assembly theory. *Biological Conservation* 78:149-161.

Moyle, P. B., and T. Light. 1996. Fish invasions in California: do abiotic factors determine success? *Ecology* 77:1666-1670.

Mueller-Solger, A. B., A. D. Jassby and D. C. Mueller-Navarra. 2002. Nutritional quality for zooplankton (*Daphnia*) in a tidal freshwater system (Sacramento-San Joaquin River Delta, USA). *Limnology and Oceanography* 47 (5):1468-1476.

Murrell, M. C., and J.T. Hollibaugh. 1998. Microzooplankton grazing in northern San Francisco Bay measured by the dilution method. *Aquatic Microbial Ecology* 15:53-63.

Murrell, M. C., J.T. Hollibaugh, M.W. Silver, and P.S. Wong. 1999. Bacterioplankton dynamics in northern San Francisco Bay: Role of particle association and seasonal freshwater flow. *Limnology and Oceanography* 44 (2):295-308.

Murrell, M. C., and J.T. Hollibaugh. 2000. Distribution and composition of dissolved and particulate organic carbon in northern San Francisco Bay during low flow conditions. *Estuarine, Coastal and Shelf Science* 51 (1):75-90.

Nakamoto, R. J., and T.J. Hassler. 1992. Selenium and other trace elements in bluegills from agricultural return flows in the San Joaquin Valley, California. *Archives of Environmental Contamination and Toxicology* 22 (1):88-98.

Neilson, J. D., and C.E. Banford. 1983. Chinook salmon (*Oncorhynchus tshawytscha*) spawner characteristics in relation to redd physical features. *Canadian Journal of Zoology* 61:1524-31.

Nichols, F. H. 1985. Increased benthic grazing: an alternative explanation for low phytoplankton biomass in northern San Francisco Bay during the 1976-1977 drought. *Estuarine, Coastal and Shelf Science* 21:379-388.

Nichols, F. H., J.E. Cloern, S. Luoma, and D.H. Peterson. 1986. The modification of an estuary. *Science* 231:567-573.

Nichols, F. H., J.K. Thompson, and L.E. Schemel. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam *Potamocorbula amurensis*. 2. Displacement of a former community. *Marine Ecology Progress Series* 66:95-101.

Nichols, R. H., and J.K. Thompson. 1985. Time scales of change in the San Francisco Bay benthos. *Hydrobiologia* 192:121-138.

Nielson, J. L., T.E. Lisle, and V. Ozaki. 1994. Thermally stratified pools and their use by steelhead in northern California streams. *Transactions of the American Fisheries Society* 123:613-26.

Nielson, J. L., D. Tupper, and W.K. Thomas. 1994. Mitochondrial DNA polymorphism in unique runs of chinook salmon (*Oncorhynchus tshawytscha*) from the Sacramento-San Joaquin river basin. *Conservation Biology: the journal of the Society for Conservation Biology* 8:882-884.

Ning, X., J.E. Cloern, and B.E. Cole. 2000. Spatial and temporal variability of picocyanobacteria *Synechococcus* sp. in San Francisco Bay, (USA). *Netherlands Journal of Sea Research* 21 (1):25-34.

Nobriga, M. 2002. Larval delta smelt composition and feeding incidence: environmental and ontogenetic influences. *California Fish and Game* 88:149-164.

Nobriga, M., Z. Matica, and Z. Hymanson. 2004. Evaluating entrainment vulnerability to agricultural irrigation diversions: a comparison among open water fishes. Pages 281-295 in F. Feyrer, L. Brown, R. Brown, and J. Orsi., editors. *Early Life History of Fishes in the San Francisco Estuary and Watershed*. American Fisheries Society Symposium, Bethesda, Maryland.

O'Riordan, C. A., S.G. Monismith, and J.R. Koseff. 1995. The effect of bivalve excurrent jet dynamics on mass transfer in a benthic boundary layer. *Limnology and Oceanography* 40 (2):330-334.

Orsi, J. J. 1971. The 1965-1967 migrations of the Sacramento-San Joaquin Estuary striped bass population. *California Fish and Game* 57:257-267.

Orsi, J. J., and A.C. Knutson. 1979. The role of mysid shrimp in the Sacramento-San Joaquin Estuary and factors affecting their abundance and distribution. Pages 401-408 in T. J. Conomos, editor. *San Francisco Bay: the urbanized estuary*. American Association for the Advancement of Science, Pacific Division, San Francisco.

Orsi, J. J., T.E. Bowman, D.C. Marelli, and A. Hutchinson. 1983. Recent introduction of the planktonic calanoid copepod *Sinocalanus doerrii* (Centropagidae) from mainland China to the Sacramento-San Joaquin Estuary of California. *Journal of Plankton Research* 5 (3):357-375.

Orsi, J. J., and W.L. Mecum. 1986. Zooplankton distribution and abundance in the Sacramento-San Joaquin Delta in relation to certain environmental factors. *Estuaries* 9 (4B):326-339.

Orsi, J. J. 1986. Interaction between diel vertical migration of a mysidacean shrimp and two-layered estuarine flow. *Hydrobiologia* 137:79-87.

Orsi, J. J., and T.C. Walter. 1991. *Pseudodiaptomus forbesi* and *P. marinus* (Copepoda: Calanoida), the latest copepod immigrants to California's Sacramento-San Joaquin Estuary. Pages 553-562 in S. I. Uye, S. Nishida, and J.S. Hoe, editors. *Proceedings of the 4th International Conference on Copepoda*. Bulletin of the Plankton Society of Japan, Special Volume i-xi, 1-645.

Orsi, J. J., and W. L. Mecum. 1996. Food limitation as the probable cause of a long-term decline in the abundance of *Neomysis mercedis* the opossum shrimp in the Sacramento-San Joaquin Estuary. Pages 375-

402 in J. T. Hollibaugh, editor. San Francisco Bay: The Ecosystem. American Association for the Advancement of Science, San Francisco, CA.

Orsi, J. J., and S. Ohtsuka. 1999. Introduction of the Asian copepods *Acartiella sinensis*, *Tortanus dextrilobatus* (Copepoda: Calanoida), and *Limnoithona tetraspina* (Copepoda: Cyclopoida) to the San Francisco Estuary, California, USA. *Plankton Biology and Ecology* 46:128-131.

Paulson, S. C., and J.E. List. 1997. A study of transport and mixing in natural waters using ICP-MS: Water-particle interactions. *Water, Air and Soil Pollution* 99 (1-4):149-156.

Pereira, W. E., F.D. Hostettler, J.R. Cashman, and R.S. Nishioka. 1994. Occurrence and distribution of organochlorine compounds in sediment and livers of striped bass (*Morone saxatilis*) from the San Francisco Bay-Delta Estuary. *Marine Pollution Bulletin* 28 (7):434-441.

Pereira, W. E., J.L. Domagalski, F.D. Hostettler, L.R. Brown, and J.B. Rapp. 1996. Occurrence and accumulation of pesticides and organic contaminants in river sediment, water and clam tissues from the San Joaquin River and tributaries, California. *Environmental Toxicology and Chemistry* 15 (2):172-180.

Pereira, W. E., F.D. Hostettler, S.N. Luoma, A. van Geen, C.C. Fuller, and R.J. Anima. 1999. Sedimentary record of anthropogenic and biogenic polycyclic aromatic hydrocarbons in San Francisco Bay, California. *Marine Chemistry* 64 (1-2):99-113.

Peterson, D. H., T. Conomos, W.W.J. Broenkow, and P.C. Doherty. 1975. Location of the non-tidal current null zone in northern San Francisco Bay. *Estuarine Coastal Marine Science* 3:1-11.

Peterson, D. H., and J.F. Festa. 1984. Numerical simulation of phytoplankton productivity in partially mixed estuaries. *Estuarine, Coastal and Shelf Science* 19:563-589.

Peterson, D. H., D.R. Cayan, J.F. Festa, F.H. Nichols, R.A. Walters, J.V. Slack, S.E. Hager, and L.E. Schemel. 1989. Climate variability in an estuary: Effects of river flow on San Francisco Bay. Pages 419-442 in D. H. Peterson, editor. *Aspects of climate variability in the Pacific and Western Americas*, Geophysical Monograph 55. American Geophysical Union, Washington D.C.

Peterson, D. H., D.R. Cayan, J. DiLeo, M. Noble, and M. Dettinger. 1995. The role of climate in estuarine variability. *American Scientist* 83:58-67.

Peterson, D. H., D.R. Cayan, M.D. Dettinger, M.A. Noble, L.G. Riddle, L.E. Schemel, R.E. Smith, R.J. Uncles, and R.A. Walters. 1996. San Francisco Bay salinity: observations, numerical simulation, and statistical models. Pages 9-34 in J. T. Hollibaugh, editor. *San Francisco Bay: The ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Petreas, M. X., T. Wiesmuller, F.H. Palmer, J.J. Winkler, and R.D. Stephens. 1992. Aquatic life as biomonitors of dioxin-furan and coplanar polychlorinated biphenyl contamination in the Sacramento-San Joaquin River Delta. *Chemosphere* 25 (4):621-631.

Phillips, D. J. H., and R.B. Spies. 1988. Chlorinated hydrocarbons in the San Francisco estuarine ecosystem. *Marine Pollution Bulletin* 19:445-453.

Powell, T. M., J.E. Cloern, and L.M. Huzzey. 1989. Spatial and temporal variability in South San Francisco Bay (U.S.A.). Horizontal distributions of salinity, suspended sediments, and phytoplankton biomass and productivity. *Estuarine, Coastal and Shelf Science* 28:583-597.

Presser, T. S., and H.M. Ohlendorf. 1987. Biogeochemical cycling of selenium in the San Joaquin Valley California, USA. *Environmental Management* 11 (6):804-822.

Presser, T. S., M.A. Sylvester, and W.H. Low. 1994. Bioaccumulation of selenium from natural geologic sources in western states and its potential consequences. *Environmental Management* 18 (3):423-436.

Presser, T. S., and D.Z. Piper. 1998. Mass balance approach to selenium cycling through the San Joaquin Valley: From source to river to bay. Pages 153-182 in W. T. Frankenberger, Jr., and R.A. Engberg, editors. *Books in Soils, Plants, and the Environment; Environmental Chemistry of Selenium*. Marcel Dekker, Inc., New York, NY.

Prest, H. F., W.M. Jarman, S.A. Burns, T. Weismueller, M. Martin, and J.N. Huckins. 1992. Passive water sampling via semipermeable membrane devices (spmds) in concert with bivalves in the Sacramento-San Joaquin River Delta. *Chemosphere* 25 (12):1811-1823.

Raquel, P. F. 1986. Juvenile blue catfish *Ictalurus furcatus* in the Sacramento-San Joaquin Delta of California, USA. *California Fish and Game* 72 (3):186-187.

Rees, J. T. 1982. The hydrozoan cladonema in California: A possible introduction from Japan. *Pacific Science* 36:439-444.

Reynolds, F. L., T.J. Mills, R. Benthin, and A. Low. 1993. Restoring Central Valley streams; a plan for action. California Department of Fish and Game, Sacramento, CA.

Ritson, P. I., R.M. Rouse, R.A. Flegal, and S.N. Luoma. 1999. Stable lead isotopic analyses of historic and contemporary lead contamination of San Francisco Bay/Estuary. *Marine Chemistry* 64 (1-2):71-83.

Rudek, J., and J.E. Cloern. 1996. Planktonic respiration rates in San Francisco Bay. Pages 289-304 in J. T. Hollibaugh, editor. *San Francisco Bay: The ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

Ruhl, C. A., D.H. Schoellhamer, R.P. Stumpf, and C.L. Lindsay. 2001. Combined use of remote sensing and continuous monitoring to analyze the variability of suspended-sediment concentrations in San Francisco Bay, California. *Estuarine, Coastal and Shelf Science* 53:801-812.

Safran, R. J., C.R. Isola, M.A. Colwell, and O.E. Williams. 1997. Benthic invertebrates at foraging locations of nine waterbird species in managed wetlands of the northern San Joaquin Valley, California. *Wetlands* 17 (3):407-415.

Saiki, M. K. 1984. Environmental conditions and fish faunas in low elevation rivers on the irrigated San Joaquin Valley floor. *California Fish and Game* 70:145-57.

Saiki, M. K., and C.J. Schmitt. 1985. Population biology of bluegills, *Lepomis macrochirus*, in lotic habitats on the irrigated San Joaquin Valley floor (California, USA). *California Fish and Game* 71 (4):225-244.

Saiki, M. K., and C.J. Schmitt. 1986. Organochlorine chemical residues in bluegills (*Lepomis macrochirus*) and common carp (*Cyprinus carpio*) from the irrigated San Joaquin Valley floor, California (USA). *Archives of Environmental Contamination and Toxicology* 15 (4):357-366.

- Saiki, M. K., and T.W. May. 1988. Trace element residues in bluegills and common carp from the lower San Joaquin River, California (USA) and its tributaries. *Science of the Total Environment* 74:199-218.
- Saiki, M. K., and D.U. Palawski. 1990. Selenium and other elements in juvenile striped bass from the San Joaquin Valley and San Francisco Estuary, California (USA). *Archives of Environmental Contamination and Toxicology* 19 (5):717-730.
- Saiki, M. K., M.R. Jennings, and T.W. May. 1992. Selenium and other elements in freshwater fishes from the irrigated San Joaquin Valley, California. *Science of the Total Environment* 126 (1-2):109-137.
- Saiki, M. K., and M.R. Jennings. 1992. Toxicity of agricultural subsurface drainwater from the San Joaquin Valley, California, to juvenile chinook salmon and striped bass. *Transactions of the American Fisheries Society* 121 (1):78-93.
- Saiki, M. K., M.R. Jennings, and W.G. Brumbaugh. 1993. Boron, molybdenum, and selenium in aquatic food chains from the lower San Joaquin River and its tributaries, California. *Archives of Environmental Contamination and Toxicology* 24 (3):307-319.
- Sakanari, J. A., and M. Moser. 1986. Lesion induction by the plerocercoid *Lacistorhynchus tenuis* (Cestoda) and wound healing in the striped bass, *Morone saxatilis*. *Journal of Fish Biology* 28 (3):289-296.
- Salt, G. W. 1989. Comparison of the diets and reproductive performances of two sympatric rotifers, *Asplanchna girodi* and *Asplanchna priodonta*. *Freshwater Biology* 22 (3):417-430.
- Schaffter, R. G. 1997. Age and growth of white catfish in California's Sacramento-San Joaquin Delta. *California Department of Fish and Game* 83:57-67.
- Schaffter, R. G., and D.W. Kohlhurst. 1997. Mortality rates of white catfish in California's Sacramento-San Joaquin Delta. *California Fish and Game* 83:45-56.
- Schaffter, R. G., and D.W. Kohlhurst. 1997. White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California. *California Fish and Game* 83 (1):1-20.
- Schaffter, R. G. 1997. Growth of white catfish in California's Sacramento-San Joaquin Delta. *California Fish and Game* 83 (2):57-69.
- Schaffter, R. G., and D.W. Kohlhurst. 1999. Status of white sturgeon in the Sacramento-San Joaquin Estuary. *California Fish and Game* 85 (1):37-41.
- Schemel, L. E., S. W. Hagar, and D. Childers. 1996. The supply and carbon content of suspended sediment from the Sacramento River to San Francisco Bay. Pages 237-260 in J. T. Hollibaugh, editor. *San Francisco Bay: The Ecosystem*. Pacific Division of the American Association for the Advancement of Science, San Francisco, CA.
- Schemel, L. E., and S. W. Hagar. 1996. Dissolved inorganic nitrogen, phosphorus, and silicon in South San Francisco Bay. II. A case study of effects of local climate, and weather. Pages 217-236 in J. T. Hollibaugh, editor. *San Francisco Bay: The ecosystem*. American Association for the Advancement of Science, San Francisco, CA.

- Shemel, L.E., T.R. Sommer, A.B. Mueller-Solger, and W.C. Harrell. 2004. Hydrologic variability, water chemistry and phytoplankton biomass in a large floodplain of the Sacramento River, CA, USA. *Hydrobiologia* 513:129-139.
- Schoellhamer, D. H. 1994. Suspended-solids concentrations in central San Francisco Bay during 1993 winter runoff. *Eos Transactions of the American Geophysical Union* 72:122.
- Schoellhamer, D. H. 1996. Factors affecting suspended-solids concentrations in South San Francisco Bay, California. *Journal of Geophysical Research* 101 (C5):12087-12095.
- Schoellhamer, D. H. 2001. Influence of salinity, bottom topography, and tides on locations of estuarine turbidity maxima in northern San Francisco Bay. Pages 343-356 in W. H. McAnally, and A.J. Mehta, editors. *Coastal and Estuarine Fine Sediment Processes*. Elsevier, Amsterdam, Netherlands.
- Schoellhamer, D. H. 2002. Comparison of basin-wide effect of dredging and natural estuarine processes on suspended-sediment concentration. *Estuaries* 25:488-495.
- Schoellhamer, D. H. 2002. Variability of suspended-sediment concentration at tidal to annual time scales in San Francisco Bay, USA. *Continental Shelf Research* 22:1857-1866.
- Siegfried, C. A., M.E. Kopache, and A.W. Knight. 1979. The distribution and abundance of *Neomysis mercedis* in relation to the entrapment zone in the western Sacramento-San Joaquin Delta. *Transactions of the American Fisheries Society* 108:262-268.
- Smallwood, K. S., B. Wilcox, R. Leidy, and K. Yarris. 1998. Indicators assessment for habitat conservation plan of Yolo County, California, USA. *Environmental Management* 22 (6):947-958.
- Smith, G. E. 1978. An evaluation of disk-dangler tag shedding by striped bass (*Morone saxatilis*) in the Sacramento-San Joaquin Estuary. *California Fish and Game* 64:93-97.
- Smith, L. H. 1987. A review of circulation and mixing studies of San Francisco Bay, California. U.S. Geological Survey Circular 1015:38 pp.
- Sobczak, W. V., J.E. Cloern, A.D. Jassby, and A.B. Muller-Solger. 2002. Bioavailability of organic matter in a highly disturbed estuary: The role of detrital and algal resources. *Proceedings of the National Academy of Sciences* 99 (12):8101-8105.
- Sommer, T., R. Baxter, and B. Herbold. 1997. Resilience of splittail in the Sacramento-San Joaquin Estuary. *Transactions of the American Fisheries Society* 126:961-976.
- Sommer, T., M. L. Nobriga, B. Harrell, W. Batham, and W. J. Kimmerer. 2001. Floodplain rearing of juvenile chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58:325-333.
- Sommer, T., B. Harrell, M. Nobriga, R. Brown, P. Moyle, W. Kimmerer, and L. Schemel. 2001. California's Yolo Bypass: evidence that flood control can be compatible with fisheries, wetlands, wildlife, and agriculture. *Fisheries* 26:6-16.
- Sommer, T., L. Conrad, G. O'Leary, F. Feyrer, and W. Harrell. 2002. Spawning and rearing of splittail in a model floodplain wetland. *Transactions of the American Fisheries Society* 131:966-974.



Sommer, T., W. Harrell, R. Kurth, F. Feyrer, S. Zeug, and G. O'Leary. 2004. Ecological patterns of early life stages of fishes in a large river-floodplain of the San Francisco Estuary. Pages 111-123 in F. Feyrer, L. Brown, R. Brown, and J. Orsi., editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society Symposium, Bethesda, Maryland.

Sommer, T. R., D. McEwan and R. Brown. 2001. Factors affecting chinook salmon spawning in the lower Feather River. Pages 269-297 in R. L. Brown, editor. Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Sommer, T. R., W. C. Harrell, M. L. Nobriga and R. Kurth. 2002. Floodplain as habitat for native fish: Lessons from California's Yolo Bypass. Pages 81-87 in P. Faber, editor. Proceedings of the Riparian Habitat and Floodplains Conference. The Wildlife Society, Sacramento, CA.

Speed, T. 1993. Modeling and managing a salmon population. Pages 271-291 in V. Barnett, and F. Turkman, editors. Statistics for the Environment. John Wiley & Sons, Ltd., New York, NY.

Spies, R. B., and D.W. Rice Jr. 1988. The effects of organic contaminants on reproduction of starry flounder, *Platichthys stellatus* (Pallus) in San Francisco Bay. Part II. Reproductive success of fish captured in San Francisco Bay and spawned in the laboratory. Marine Biology 98 (2):191-200.

Stacey, M. T., S.G. Monismith, and J.R. Burau. 1999. Observations of turbulence in a partially stratified estuary. Journal of Physical Oceanography 29:1950-1970.

Stanley, S. E., P.B. Moyle, and H.B. Shaffer. 1995. Allozyme analysis of delta smelt, *Hypomesus transpacificus* and longfin smelt, *Spirinchus thaleichthys* in the Sacramento-San Joaquin Estuary, California. Copeia 2:390-396.

Steding, D. J., C.E. Dunlap, and A.R. Flegal. 2000. New isotopic evidence for chronic lead contamination in the San Francisco Bay estuary system: Implications for the persistence of past industrial lead emissions in the biosphere. Proceedings of the National Academy of Sciences of the United States of America 97 (21):11181-11186.

Stevens, D. E. 1966. Food habits of striped bass, *Morone saxatilis*, in the Sacramento-San Joaquin Delta. Pages 68-96 in J. T. Turner, and D.W. Kelley, editors. Ecological studies of the Sacramento-San Joaquin Delta. Part II. Fishes of the Delta. Fish Bulletin 136. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Stevens, D. E., and L.W. Miller. 1970. Distribution of sturgeon larvae in the Sacramento-San Joaquin River system. California Fish and Game 56:80-86.

Stevens, D. E. 1977. Striped bass (*Morone saxatilis*) monitoring techniques in the Sacramento-San Joaquin Estuary. Pages 91-109 in W. V. Winkle, editor. Proceedings of the conference on assessing the effects of power-plant induced mortality. Pergamon Press, New York, NY.

Stevens, D. E. 1977. Striped bass (*Morone saxatilis*) year class strength in relation to river flow in the Sacramento-San Joaquin Estuary. Transactions of the American Fisheries Society 106:34-42.

Stevens, D. E., and H.K. Chadwick. 1979. Sacramento-San Joaquin Estuary biology and hydrology. Fisheries 4:2-6.

Stevens, D. E. 1980. Factors affecting the striped bass fisheries of the West Coast. Pages 15-28 in H. Clepper, editor. Proceedings of the 5th Marine Recreational Fisheries Symposium. Sport Fishing Institute, Washington, D.C. USA.

Stevens, D. E., and L.W. Miller. 1983. Effects of river flow on abundance of young chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento-San Joaquin River system. *North American Journal of Fisheries Management* 3:425-437.

Stevens, D. E., D.W. Kohlhorst, L.W. Miller, and D.W. Kelley. 1985. The decline of striped bass in the Sacramento-San Joaquin Estuary, California. *Transactions of the American Fisheries Society* 114:12-30.

Stevens, D. E., H.K. Chadwick, and R.E. Painter. 1987. American shad and striped bass in California's Sacramento-San Joaquin River System. *Transactions of the American Fisheries Society* 1:66-78.

Swanson, C., R.C. Mager, S.I. Doroshov, and J.J. Cech, Jr. 1996. Use of salts, anesthetics, and polymers to minimize handling and transport mortality in delta smelt. *Transactions of the American Fisheries Society* 125:326-329.

Swanson, C., P.S. Young, and J.J. Cech. 1998. Swimming performance of delta smelt: maximum performance, and behavioral kinematic limitations on swimming at submaximal velocities. *Journal of Experimental Biology* 201:333-345.

Swanson, C., T. Reid, P.S. Young, and J.J. Cech. 2000. Comparative environmental tolerances of threatened delta smelt (*Hypomesus transpacificus*) and introduced wakasagi (*H. nipponensis*) in an altered California estuary. *Oecologia* 123:384-390.

Sweetnam, D. A. 1999. Status of delta smelt in the Sacramento-San Joaquin Estuary. *California Fish and Game* 85 (1):22-27.

Thomas, J. L. 1967. The diet of juvenile and adult striped bass, *Morone saxatilis*, in the Sacramento-San Joaquin River system. *California Fish and Game* 53:49-62.

Thompson, B., B. Anderson, J. Hunt, K. Taberski, and B. Phillips. 1999. Relationships between sediment contamination and toxicity in San Francisco Bay. *Marine Environmental Research* 48 (4-5):285-309.

Trenham, P. C., H.B. Shaffer, and P.B. Moyle. 1998. Biochemical identification and assessment of population subdivision in morphometrically similar native and invading smelt species (*Hypomesus*) in the Sacramento-San Joaquin Estuary, California. *Transactions of the American Fisheries Society* 127:417-424.

Turner, J. L., and D.W. Kelley. 1966. Ecological studies of the Sacramento-San Joaquin Estuary: Fish Bulletin 136. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Turner, J. L., and T.C. Farley. 1971. Effects of temperature, salinity, and dissolved oxygen on the survival of striped bass eggs and larvae. *California Fish and Game* 57:268-273.

Turner, J. L., and H.K. Chadwick. 1972. Distribution and abundance of young-of-the-year striped bass, *Morone saxatilis*, in relation to river flow in the Sacramento-San Joaquin Estuary. *Transactions of the American Fisheries Society* 101:442-452.

Turner, J. L. 1976. Striped bass spawning in the Sacramento and San Joaquin rivers in central California from 1963 to 1972. *California Fish and Game* 62:106-118.

Uncles, R. J., and D.H. Peterson. 1995. A computer model of long-term salinity in San Francisco Bay: Sensitivity to mixing and inflows. *Environment International* 21 (5):647-656.

van Geen, A., N.J. Valette-Silver, S.N. Luoma, C.C. Fuller, M. Baskaran, F. Tera, and J. Klein. 1999. Constraints on the sedimentation history of San Francisco Bay from <sup>14</sup>C and <sup>10</sup>Be. *Marine Chemistry* 64 (1-2):29-38.

Veldhuizen, T. 2001. Life history, distribution, and impacts of the Chinese mitten crab, *Eriocheir sinensis*. *Aquatic Invaders* 12:1-9.

Venkatesan, M. I., R.P. de Leon, A. van Geen, and S.N. Luoma. 1999. Chlorinated hydrocarbon pesticides and polychlorinated biphenyls in sediment cores from San Francisco Bay. *Marine Chemistry* 64 (1-2):85-97.

Von Geldern, C. E. 1972. A midwater trawl for threadfin shad, *Dorosoma petenense*. *California Fish and Game* 58:268-276.

Walters, R. A., R.T. Cheng, and T.J. Conomos. 1985. Time scales of circulation and mixing processes of San Francisco Bay waters. *Hydrobiologia* 129:13-36.

Warner, G. 1991. Remember the San Joaquin. Pages 61-70 in A. Lufkin, editor. *California's salmon and steelhead: The struggle to restore an imperiled resource*. University of California Press, Berkeley, CA, and Oxford, England, UK.

Warner, J., Schoellhamer, D., Burau, J., and G. Schladow. 2002. Effects of tidal current phase at the junction of two straits. *Continental Shelf Research* 22:1629-1642.

Werner, I., and J.T. Hollibaugh. 1993. *Potamocorbula amurensis* (Mollusca, Pelecypoda): Comparison of clearance rates and assimilation efficiencies for phytoplankton and bacterioplankton. *Limnology and Oceanography* 38:949-964.

Werner, I., L.A. Deanovic, V. Conner, V. de Vlaming, H.C. Bailey, and D.E. Hinton. 2000. Insecticide-caused toxicity to *Ceriodaphnia dubia* (Cladocera) in the Sacramento-San Joaquin River Delta, California, USA. *Environmental Toxicology and Chemistry* 19 (1):215-227.

White, J. R. 1986. The striped bass sport fishery in the Sacramento-San Joaquin Estuary, 1969-1979. *California Fish and Game* 72:17-37.

Wienke, S. M., and J.E. Cloern. 1987. The phytoplankton component of seston in San Francisco Bay. *Netherlands Journal of Sea Research* 21:25-33.

Williams, J. E., and C.D. Williams. 1991. The Sacramento River winter chinook salmon: Threatened with extinction. Pages 105-115 in A. Lufkin, editor. *California's Salmon and Steelhead: The Struggle to Restore an Imperiled Resource*. University of California Press, Berkeley, CA.

Williams, J. G. 1999. Stock dynamics and adaptive management of habitat: An evaluation based on simulations. *North American Journal of Fisheries Management* 19 (2):329-341.

Williams, J. G. 2001. Chinook salmon in the lower American River, California's largest urban stream. Pages 1-38 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Yoshiyama, R. M., F.W. Fisher, and P.B. Moyle. 1998. Historical abundance and decline of chinook salmon in the Central Valley region of California. *North American Journal of Fisheries Management* 18:487-521.

Yoshiyama, R. M., E.R. Gerstung, F.W. Fisher, and P.B. Moyle. 2001. Historical and present distribution of chinook salmon in the Central Valley drainage of California. Pages 71-176 in R. L. Brown, editor. *Contributions to the Biology of Central Valley Salmonids: Fish Bulletin 179*. State of California, The Resources Agency, Department of Fish and Game, Sacramento, CA.

Young, G., C.L. Brown, R.S. Nishioka, L.C. Folmar, M. Andrews, J.R. Cashman, and H.A. Bern. 1994. Histopathology, blood chemistry, and physiological status of normal and moribund striped bass (*Morone saxatilis*) involved in summer mortality ('die-off') in the Sacramento-San Joaquin Delta of California. *Journal of Fish Biology* 44 (3):491-512.

Young, P. S., and J. J. Cech. 1996. Environmental tolerances and requirements of splittail. *Transactions of the American Fisheries Society* 125:664-678.

Zhang, M., S.L. Ustin, E. Rejmankova, and E.W. Sanderson. 1997. Monitoring Pacific coast salt marshes using remote sensing. *Ecological Applications: a publication of the Ecological Society of America* 7 (3):1039-1053.